

# HONOLULU POLICE DEPARTMENT

## POLICY LAW ENFORCEMENT OPERATIONS

July 29, 2015

Policy Number 4.14

### POLICE SUBSIDIZED VEHICLES

#### POLICY

Privately owned automobiles used for police service (subsidized vehicles) shall comply with the specifications and guidelines established herein.

#### PROCEDURE

##### I. APPROVED VEHICLE LISTS

- A. Unless otherwise approved in writing by the Chief of Police, the only authorized subsidized vehicles are those specified on the attached approved vehicle lists. Vehicles are listed by year and model.
- B. Officers may propose vehicles to be considered for the approved vehicle lists.

5-17-2024

- 1. A vehicle shall be proposed by submitting a Request for Subsidized Vehicle Evaluation e-form via the chain of command to the commander of the Information Technology Division (ITD).
- 2. The proposed vehicle shall comply with all of the standards, specifications, restrictions, etc., established in this directive. It shall also be readily available for physical inspection by the ITD at the time the proposal is submitted.

##### II. GENERAL SPECIFICATIONS

###### A. Wheelbase

The wheelbase shall be no less than 100 inches.

B. Engine Size

1. Engines with eight cylinders shall have a maximum displacement of 400 cubic inches.
2. Engines shall have a minimum of four cylinders.

C. Fuel

1. Only gasoline engines are acceptable.
2. The department dispenses only 89 octane-level gasoline for all subsidized vehicles.

D. Tire Size

Tires shall fit the standard rim for the vehicle, not exceed ten inches in width, and not extend beyond the width of the fenders. Rim and tire sizes shall be the same for all four wheels with the only exception being noted for a specific vehicle on the approved vehicle lists.

E. Seat Belts

There shall be at least four sets of properly working seat belts, which shall include a set for the driver.

F. Tinted Windows

Factory and aftermarket tinting/glazing of windows and windshields is permitted only if visible light transmission standards required by federal and state laws/regulations are maintained. Tinting/glazing material shall not contain or include any graphic design elements (e.g., images and letters).

When necessary for the installation of a glass-mounted antenna, the Telecommunications Systems Section (TSS) may remove a section of tinting (about two inches square) from the rear window. The department shall not be responsible for replacing or repairing the tinting on that window.

8-23-2022

G. Stickers, Decals, and License Plate Frames

The display of stickers, decals, posters, placards, license plate frames, or other promotional material that is political or promotional in nature is not permitted on subsidized vehicles without prior approval by the Chief of Police.

III. PROHIBITED VEHICLES AND ITEMS

The following vehicles and items are prohibited:

- A. Convertibles, simulated convertible roofs, and sunroofs, including roofs with any portion that is translucent or may be opened/removed;
- B. Models manufactured and/or marketed as sports cars;
- C. Models equipped with racing-associated and/or quasi racing-associated parts, including race-like body paint/trim and race or ghost stripes. (Standard factory "pin-stripes" are acceptable;)
- D. Vehicles requiring a reconstruction permit as defined by law;
- E. Models with spoilers, except those specified as approved with spoilers on the approved vehicle lists. (An approval applies only to the spoiler, which is a standard item in a specified model's package. Any expense involving spoilers shall be borne by the officer;)
- F. Front end covers, commonly referred to as "car brassieres" or "car bras;"
- G. Hood air/debris deflectors ("bug" shields) of any kind;
- H. Out-of-state and special license plates. (License plates from other counties within the state may be used. However, only vehicles registered with the City and County of Honolulu will be tax exempt.) Veteran specialty plates and organizational plates with the America United decals are permitted;
- I. Models that take longer than ten seconds to accelerate from zero to sixty miles per hour by manufacturer specifications;

8 - 23 - 2022

- J. Rims not produced by the automobile manufacturer, commonly referred to as after-market or nonfactory rims, including all magnesium, Centerline, spoke, and similarly styled rims; and
- K. All makes, models, and sub-models not specifically listed on the attached approved vehicle lists, unless a vehicle is authorized by the Chief of Police or a section in this directive.

The authority of this list takes precedence over the fact that an item may be part of a model listed on the attached approved vehicle lists.

IV. EXCEPTIONS

5-13-2022

- A. Certain nonconforming vehicles may be used by officers in the Canine and Bomb/Bio Chem Units only while they are assigned to those units. In each case, officers shall receive prior written approval from the Administrative Bureau chief via the chain of command to use these vehicles.
- B. The Chief of Police may authorize a subsidized vehicle that has a hybrid engine (i.e., gasoline and electric powered) and minimum of four cylinders. The only vehicles authorized with such exceptions are specific models that are listed on the approved vehicle lists.

V. APPEARANCE AND PERFORMANCE

A. Alterations

Automobile parts and external accessories, including rims, shall not be removed, added, or exchanged to alter the appearance or performance of the vehicle. The appearance and performance of the vehicle must be held constant with those features present at the time the vehicle was approved.

B. Appearance

The Chief of Police may remove from police subsidized service any vehicle that does not meet the following standards:

1. Equipment, parts, and interior and exterior attachments shall operate in accordance and/or comply with applicable safety standards, laws, regulations, ordinances, and departmental directives;
2. The exterior, including devices installed by the manufacturer for the proper operation/function of any part of the vehicle (door hinges, trunk lid, balance rods, hood springs and hinges), shall be free of defects, excessive rust, and improperly operating parts;
3. The exterior shall be free of unfinished paint and unsightly rust.

Exception: Cars with areas of unfinished paint due to paint damage, rust, or accident repair may remain in service for no more than two weeks. An extension beyond the two weeks may be granted only by the Chief of Police;

4. The interior shall be free of objects, equipment, or material not related to police service; and
5. Exhaust and emission controls shall comply with federal, state, and county laws and ordinances.

C. Others

The Chief of Police may remove a vehicle from service or order repairs for other conditions that would impede its proper operation or function.

VI. EMERGENCY LIGHTS

A. Blue Lights

1. No blue illumination devices other than those issued by the department shall be affixed, displayed, or utilized.

- 2. Cheetah bar adaptors shall be used for vehicles without rain gutters.

Adaptors shall be obtained through the TSS. Also, adaptors shall be limited to those which have been approved by the Chief of Police.

- 3. Visor-mounted blue lights, which are issued to officers in plainclothes assignments (both permanent and temporary), shall be returned to the Property and Supply Section, Finance Division, by these officers as soon as they are no longer with that particular plainclothes assignment.
- 4. Blue lights that are installed by the TSS shall not be altered or relocated.

B. Alternating Headlight Flashers

Officers may purchase and install at their own expense alternating headlight flashers on subsidized vehicles. Any such personally owned lights and related materials (e.g., flashers, switches, fuses, wires, etc.) shall not connect in any way to departmental equipment and materials.

VII. TIME LIMIT USE OF VEHICLE

- A. The time limit use of a subsidized vehicle, including extensions, shall be that which is established in the appropriate bargaining unit agreement. However, a vehicle may not be put into service if it is at or beyond the standard (without extensions) time limit.

4-24-2024

4-24-2024

B. Extension Request Procedure

1. The requesting officer shall submit completed "Extension" e-forms at least 30 days and no more than 120 days prior to expiration of the standard time limit and each succeeding extension year(s) according to the appropriate collective bargaining unit agreement. The e-form can be accessed at the city's intranet electronic forms Web site [REDACTED]. To submit the extension request, [REDACTED]

[REDACTED] Each submittal shall have the following items scanned and attached to the e-form:

- a. Certificate of Motor Vehicle Registration and
  - b. Current, certified Motor Vehicle Inspection Application (safety check).
2. The requesting officer shall have the vehicle inspected by the immediate supervisor.
- a. If a vehicle complies, the immediate supervisor shall provide comments of approval on the e-form and review and send it to the commanding officer or designee.
  - b. If a vehicle does not comply, the inspecting officer shall list the reason(s) for the rejection in the "comments" section and deny and send the e-form back to the requesting officer.
  - c. If the e-form is approved, the requesting officer shall call the automotive equipment superintendent of the Vehicle Maintenance Section to schedule an appointment to have the vehicle inspected.
3. The automotive equipment superintendent shall inspect and road test the vehicle to ensure mechanical soundness for police service.

4. The automotive equipment superintendent shall note any findings and recommendations and then approve and send the e-form to the Finance Division.
5. The fiscal officer shall approve or deny the request for extension based on the recommendations of the inspecting officer, the automotive equipment superintendent, and conditions set forth within departmental directives.
6. Officers who have not received approval for the extended use of their subsidized vehicles or have not replaced their vehicles by the end of the approved extension period may have their automobile allowance revoked or adjusted.
7. [REDACTED]

C. Temporary Replacement Request Procedure

1. The requesting officer shall submit a completed replacement e-form within two working days from the date that his or her subsidized vehicle is not available for use. The e-form can be accessed at the city's intranet electronic forms Web site [REDACTED]. To submit the extension request, click on "Submit a Request," [REDACTED]. [REDACTED] Each submittal shall explain or contain:
  - a. The status of the subsidized vehicle;
  - b. The dates the subsidized vehicle will be temporarily out of service;
  - c. The reason for the request (motor vehicle collision, criminal property damage, or general repairs);
  - d. An attached copy of the applicable policy report to the e-form;
  - e. A brief explanation for the request; and

4-24-2023



- f. If the incident occurred on duty, off duty, or during special duty.
2. When a motorized officer's subsidized vehicle is unavailable for official use, a temporary vehicle may be used if it meets the specifications for subsidized vehicles as set forth in departmental directives.
3. Officers who request the use of a temporary vehicle from the attached "Approved Vehicles" list shall provide the make, model, year, and license plate number of the vehicle. A temporary vehicle may not be used if it is already at or above eight years old.
4. Officers who do not have a temporary vehicle on the attached "Approved Vehicles" list must request the use of a city-owned patrol vehicle with an automobile allowance adjustment.
5. Officers whose subsidized vehicle is damaged on duty shall be allowed to use a city-owned patrol vehicle while on duty. Automobile allowance shall be adjusted in accordance with the Unit 12 bargaining agreement.
6. Other temporary vehicle requests shall be explained in a brief narrative in the space provided on the e-form.
7. The requesting officer shall have the e-form approved by the immediate supervisor and the element commander or designee.
8. The fiscal officer or designee shall approve or deny the request.

#### VIII. NEW MOTORIZATION PROCESS

- A. Upon being motorized, an officer shall submit an e-form for an approved subsidized vehicle to his or her supervisor within 21 calendar days. If an officer does not meet this deadline, the officer shall be reassigned to a nonmotorized position and become ineligible for a motorized position for one year.

- B. A completed "New (Initial)" e-form is required to obtain authorization of a vehicle for police service. The form can be accessed at the city's intranet electronic forms Web site [REDACTED]  
[REDACTED]  
[REDACTED]
- C. The requesting officer shall have the vehicle inspected by his or her immediate supervisor. The immediate supervisor shall ensure that the vehicle complies with departmental requirements and verify the information listed on the e-form.
1. If the vehicle complies, the inspecting officer shall approve and send the e-form to the element commander or designee.
  2. If the vehicle does not comply, the inspecting officer shall deny and close the e-form. The reason(s) for rejection shall be listed in the "comments" section.
  3. If the vehicle is rejected, the officer may take corrective measures and submit another e-form.
- D. Upon approval by the commander, the e-form shall be forwarded to the "HPD/Vehicle Mileage" mailbox.
- E. If the e-form is approved, the officer shall:
1. Call the TSS to schedule an appointment to install the radio equipment;
  2. Contact the ITD to schedule a class if a mobile data computer will be issued; and

3. Check his or her city e-mail to determine whether the Finance Division approved the request. If the request is approved, the officer shall obtain the Department of Motor Vehicle and Licensing (DMVL) letter at the Finance Division and take the letter and one copy to a satellite city hall for processing. Additionally, the officers shall carry a copy of the letter to the Finance Division within five business days.
  - a. Upon the return of the letter to the Finance Division, the officer will receive a city and county limited-liability insurance card. The officer shall be responsible for acquiring additional coverage for the vehicle.
  - b. A copy of the processed letter shall be taken to the Property and Supply Section to obtain any necessary equipment.

F. Vehicles Without Current Hawaii License Plates

The "License No." box can be left blank on the e-form. The plate number can be obtained when the DMVL letter is processed at a satellite city hall.

IX. REGISTRATION OF VEHICLES

A subsidized vehicle shall be registered in the name of the officer using the vehicle or in joint registration with the spouse, a member of the immediate family, or the leasing company.

A. Vehicle Weight Tax

Subsidized vehicles shall be exempt from weight taxes as long as they are used for police service.

B. Out-of-State Vehicle

1. In most cases, vehicles purchased and registered on the mainland qualify for Hawaii license plates under the department's tax-exempt status upon approval for official police service.
2. The officer shall process the registration through the Finance Division as soon as the vehicle is approved for police service.

3. The officer who is purchasing and registering a new car on the mainland for use as a subsidized vehicle is responsible for checking with the DMVL about registration requirements.

C. Annual Registration Renewal Procedures

1. A Certificate of Motor Vehicle Registration renewal for a subsidized vehicle will be mailed to the officer's home about 45 days before the registration expires.
2. After ensuring that the correct mailing address is on the registration, the officer shall forward the renewal application (with current certified Motor Vehicle Inspection Application, safety check, and citation clearance, if required) to the Finance Division.
3. A vehicle that is used for police service beyond the eight years must have an approved extension request prior to submitting the registration renewal application for tax exemption. Officers shall provide a printed copy of the approved extension request e-form with the renewal application.
4. The Finance Division will stamp "HPD EXEMPT" on the renewal application and forward it to the DMVL.
5. A new emblem and registration certificate will be mailed directly to the officer.
6. If renewal is due but a renewal application is not received by an officer, the officer has ten working days prior to the expiration date to hand carry the current registration certificate (with safety check and citation clearance, if required) to the Finance Division for renewal processing. The officer shall proceed to a satellite city hall to receive a new registration form. Officers with an expired registration certificate may have their automobile allowance revoked or adjusted.

D. MOTORIZED TO A NONMOTORIZED POSITION, RETIREMENT, OR RESIGNATION

1. The officer shall submit a "Terminate Subsidy" e-form.
  - a. The form can be accessed at the city's intranet electronic forms Web site (<http://eforms2/>). Click on "Submit a [REDACTED]
  - b. List in the comments section the date of departure from the Honolulu Police Department or the date of nonmotorization.
  - c. Submit the e-form to the immediate supervisor for approval.
2. Upon the approval of the immediate supervisor, the e-form shall be forwarded to the element commander or designee.
3. Upon the approval of the element commander, the e-form shall be forwarded to the "HPD/Vehicle Mileage" mailbox.
4. The officer shall make an appointment with the TSS to remove all police equipment within five calendar days of the effective date of the personnel order. The removed, issued radio and siren equipment shall be returned to the TSS and mobile data computer (if issued) shall be returned to the ITD.
5. The officer shall check his or her city e-mail to determine whether the Finance Division approved the request. If the request is approved, the officer shall obtain the DMVL letter at the Finance Division and take the letter and one copy to a satellite city hall for processing. The officer will be required to pay any owed vehicle taxes at that time. The processed copy shall be hand carried to the Finance Division before the close of the business day.

6. Upon the return of the DMVL letter to the Finance Division, the officer shall return the issued city and county limited-liability insurance card. As of the effective date of the personnel order, the officer shall be responsible for all liability insurance claims on his or her vehicle and all applicable vehicle taxes, such as the weight tax.
7. The officer shall return all blue lights (i.e., visor and/or blue dome light with Cheetah strap) to the Property and Supply Section within five calendar days of the effective date of the personnel order.

X. TRANSFERENCE OF SUBSIDIZED VEHICLE STATUS

The Transfer e-form shall be used to remove subsidy for a current vehicle and replace the subsidy with another vehicle. This form can be accessed at the city's intranet electronic forms Web site [REDACTED]


- A. The requesting officer shall have the vehicle being brought into service inspected by the immediate supervisor.
- B. The supervisor shall ensure that the vehicle complies with departmental requirements and verify all information listed on the form.
  1. If it complies, the inspecting officer shall approve and send the e-form to the element commander or designee.
  2. If it does not comply, the inspecting officer shall deny and close the e-form. The reason(s) for rejection shall be listed in the "comments" section. If the vehicle is rejected, the requesting officer may take corrective measures and submit another e-form.
- C. Upon approval by the commander, the e-form shall be forwarded to the "HPD/Vehicle Mileage" mailbox.

- D. The requesting officer shall call the TSS to schedule an appointment for removal of the radio and other related equipment in the current subsidized vehicle and installation into the new vehicle being brought into service.
  
- E. The officer shall check his or her city e-mail to determine whether the Finance Division approved the request. If the request is approved, the officer shall obtain the DMVL letter at the Finance Division and take the letter and one copy to a satellite city hall for processing.
  - 1. The officer shall be responsible for any owed city and county taxes on the vehicle being removed from service.
  - 2. The processed copy shall be hand carried to the Finance Division within five business days.
  - 3. Upon the return of the DMVL letter to the Finance Division, the officer shall transfer his or her city and county limited-liability insurance card to the new subsidized vehicle. The officer shall be responsible for acquiring additional coverage for the vehicle and insurance coverage for the vehicle being removed from service.

XI. CHANGING LICENSE PLATE NUMBERS

If the license plate number of the vehicle is changed and there are no other changes related to the ownership of the vehicle, the officer shall inform the Finance Division via an interdepartmental memorandum. The memorandum shall include a copy of the new certificate of registration showing the new license plate number.

8-23-2022

  
ARTHUR J. LOGAN  
Chief of Police

Attachments

Post on bulletin  
board for one week

Policy first issued  
September 29, 1995



APPROVED VEHICLES - 2025 MODELS

PROHIBITIONS NOTED IN POLICY 4.14, POLICE SUBSIDIZED VEHICLES, TAKE PRECEDENCE OVER ANY STANDARD OR OPTIONAL FEATURE FOR A VEHICLE ON THIS LIST. MODEL VARIATIONS OR SPECIAL PACKAGES ADDED TO AN APPROVED VEHICLE MAY RESULT IN THAT VEHICLE BEING DISAPPROVED FOR SUBSIDIZED USE.

2025 MODELS

WHEELBASE  
(inches)

TOYOTA

*Camry Hybrid: LE, SE, XLE, and XSE (Factory spoilers approved)	111.2
--	-------

NOTES - FOR 2025 MODELS:

1. Approved vehicles with antilocking brake systems were found acceptable for police work. Officers are cautioned that proper operation of these brake systems can be affected by police radio transmission.
2. Officers shall be responsible for relocating any object (e.g., stereo amplifier or compact disc player) determined by the Telecommunications Systems Section to interfere with the installation of the radio.
3. Radio control units in vehicles marked with an asterisk (\*) shall be mounted on the lower, passenger-side panel of the center console. This will reduce passenger legroom and restrict adjustability of the passenger seat. Also, the department shall not be responsible in any way for repairing/patching holes made for the installation of the radio control unit and microphone.

APPROVED VEHICLES - 2024 MODELS

PROHIBITIONS NOTED IN POLICY 4.14, POLICE SUBSIDIZED VEHICLES, TAKE PRECEDENCE OVER ANY STANDARD OR OPTIONAL FEATURE FOR A VEHICLE ON THIS LIST. MODEL VARIATIONS OR SPECIAL PACKAGES ADDED TO AN APPROVED VEHICLE MAY RESULT IN THAT VEHICLE BEING DISAPPROVED FOR SUBSIDIZED USE.

2024 MODELS

WHEELBASE  
(inches)

DODGE

\*Durango: GT and SXT 119.8  
(Only 3.6 and 5.7 size engines approved)  
(Striping not approved)  
(Factory spoiler approved)

FORD

\*Explorer: Explorer, King Ranch, Limited,  
Platinum, ST, ST-Line, Timberline,  
and XLT 119.1  
(Factory spoiler approved)  
(Modification required, see NOTES)

MAZDA

\*CX-90: Select 122.8  
(Factory spoiler approved)  
(Modification required, see NOTES)

NISSAN

\*Altima: S, SR, and SV 111.2  
(Factory spoiler approved)  
(SL and SR VC-Turbo not approved)

\*Pathfinder: RC, S, SL, and SV 114.2  
(Factory spoiler approved)  
(Front crossbar of standard roof rack will be removed to  
mount the light bar)  
(Tubular roof rack not approved)

11-22-2024

TOYOTA

*Camry: L, LE, SE, SE Nightshade Edition, TRD, XLE 4 cylinder, and XSE 4 cylinder (Factory spoilers approved) (XLE and XSE 6 cylinders not approved)	111.2
*4Runner: SR5, SR5 Premium, TRD Off-Road, TRD Off-Road Premium, and TRD Sport (Factory spoiler approved)	109.8
*Grand Highlander: Limited and XLE (Factory spoiler approved)	116.1
*Highlander: LE, Hybrid LE, and Hybrid LE Night Shade (Factory spoilers approved)	112.2
*RAV4: Adventure, LE, and XLE (Factory spoiler approved)	105.9

NOTES - FOR 2024 MODELS:

1. Approved vehicles with antilocking brake systems were found acceptable for police work. Officers are cautioned that proper operation of these brake systems can be affected by police radio transmission.
2. Officers shall be responsible for relocating any object (e.g., stereo amplifier or compact disc player) determined by the Telecommunications Systems Section to interfere with the installation of the radio.
3. Radio control units in vehicles marked with an asterisk (\*) shall be mounted on the lower, passenger-side panel of the center console. This will reduce passenger legroom and restrict adjustability of the passenger seat. Also, the department shall not be responsible in any way for repairing/patching holes made for the installation of the radio control unit and microphone.

8-15-2024

4. Sport utility vehicles with blue dome lights cannot enter the Alapai headquarters parking structure and other areas with a height clearance of 6'6" or less without possibly damaging the dome light and/or the vehicle. Officers should take precautions to avoid damages.

10-9-2024

5. Ford Explorers and Mazda CX-90s will require a 4" by 6" area of the underside of the front bumper to be cut away for proper siren sound projection. The department shall not be responsible in any way for repairing this modification.

APPROVED VEHICLES - 2023 MODELS

PROHIBITIONS NOTED IN POLICY 4.14, POLICE SUBSIDIZED VEHICLES, TAKE PRECEDENCE OVER ANY STANDARD OR OPTIONAL FEATURE FOR A VEHICLE ON THIS LIST. MODEL VARIATIONS OR SPECIAL PACKAGES ADDED TO AN APPROVED VEHICLE MAY RESULT IN THAT VEHICLE BEING DISAPPROVED FOR SUBSIDIZED USE.

2023 MODELS

WHEELBASE  
(inches)

DODGE

- \*Charger: GT, R/T, R/T Daytona, and SXT 120.0  
(Factory spoiler approved)  
(6.2 and 6.4 engines and striping not approved)
- \*Durango: GT, R/T, and SXT 119.8  
(Striping not approved)  
(Factory spoiler approved)

FORD MOTOR

FORD

- \*Explorer: Explorer, King Ranch, Limited, Platinum, ST, ST-Line, Timberline, and XLT 119.1  
(Factory spoiler approved)  
(Modification required, see NOTES)

NISSAN

- \*Altima: S, SR, and SV 111.2  
(Factory spoiler approved)  
(SR VC-Turbo not approved)
- \*Maxima: SV 109.3  
(Factory spoiler approved)
- \*Pathfinder: S, RC, SL, and SV 114.2  
(Factory spoiler approved)  
(Tube roof rack not approved)

4-21-2023

2023 MODELS

WHEELBASE  
(inches)

\*TOYOTA

*Camry: LE, SE, SE Nightshade Edition, XLE 4 cylinder, XSE 4 cylinder, and TRD (Factory spoilers approved) (XLE and XSE 6 cylinders not approved)	111.2
*4Runner: SR5, SR5 Premium, TRD Off-Road, TRD Off-Road Premium, and TRD Sport (Factory spoiler approved)	109.8
*Highlander: L and LE (Factory spoiler approved)	112.2
*RAV4: Adventure, LE, and XLE (Factory spoiler approved)	105.9
*Venza Hybrid: LE, Limited, Nightshade, and XLE (Factory spoiler approved)	105.9

NOTES - FOR 2023 MODELS:

2. Approved vehicles with antilocking brake systems were found acceptable for police work. Officers are cautioned that proper operation of these brake systems can be affected by police radio transmission.
2. Officers shall be responsible for relocating any object (e.g., stereo amplifier or compact disc player) determined by the Telecommunications Systems Section to interfere with the installation of the radio.
3. Radio control units in vehicles marked with an asterisk (\*) shall be mounted on the lower, passenger-side panel of the center console. This will reduce passenger legroom and restrict adjustability of the passenger seat. Also, the department shall not be responsible in any way for repairing/patching holes made for the installation of the radio control unit and microphone.

4. Sport utility vehicles with blue dome lights cannot enter the Alapai headquarters parking structure and other areas with a height clearance of 6'6" or less without possibly damaging the dome light and/or the vehicle. Officers should take precautions to avoid damages.
5. 2023 Ford Explorers will require a 4" by 6" area of the underside of the front bumper to be cut away for proper siren sound projection. The department shall not be responsible in any way for repairing this modification.

4-21-2023

APPROVED VEHICLES - 2022 MODELS

PROHIBITIONS NOTED IN POLICY 4.14, POLICE SUBSIDIZED VEHICLES, TAKE PRECEDENCE OVER ANY STANDARD OR OPTIONAL FEATURE FOR A VEHICLE ON THIS LIST. MODEL VARIATIONS OR SPECIAL PACKAGES ADDED TO AN APPROVED VEHICLE MAY RESULT IN THAT VEHICLE BEING DISAPPROVED FOR SUBSIDIZED USE.

2022 MODELS

WHEELBASE  
(inches)

\*CHRYSLER

\*300: Touring and Touring L 120.2  
(Factory spoiler approved)  
(Power backlight sunshade not approved)

DODGE

\*Charger: GT, R/T, R/T Daytona, and SXT 120.2  
(Factory spoiler approved)  
(6.2 and 6.4 engines not approved)

\*Durango: GT, GT Plus, R/T, and SXT 119.3  
(Factory spoiler approved)

FORD MOTOR

FORD

\*Explorer: Explorer, Limited, Platinum, ST, and XLT 119.1  
(Factory spoiler approved)  
(Modification required, see NOTES)

HONDA

\*Pilot: Sport 111.0  
(Factory spoiler approved)

5-11-2022



NISSAN

- \*Maxima: SV 109.3  
(Factory spoiler approved)  
(Rear window power sunshade not approved)
- \*Pathfinder: S, SL, and SV 114.2  
(Factory spoiler approved)

TOYOTA

- \*Camry: L, LE, SE, SE Nightshade Edition, XLE 4 cylinder, XSE 4 cylinder, and TRD 111.2  
(Factory spoilers approved)  
(XLE and XSE 6 cylinders not approved)
- \*4Runner: SR5, SR5 Premium, TRD Off-Road, TRD Off-Road Premium, TRD Sport, and Trail Special Edition 109.8  
(Factory spoiler approved)  
(Rooftop basket not approved and must be removed)
- \*Highlander: Hybrid LE 112.2  
(Factory spoiler approved)  
(Roof-rack rails not approved)

3-4-2022

NOTES - FOR 2022 MODELS:

3. Approved vehicles with antilocking brake systems were found acceptable for police work. Officers are cautioned that proper operation of these brake systems can be affected by police radio transmission.
2. Officers shall be responsible for relocating any object (e.g., stereo amplifier or compact disc player) determined by the Telecommunications Systems Section to interfere with the installation of the radio.
3. Radio control units in vehicles marked with an asterisk (\*) shall be mounted on the lower, passenger-side panel of the center console. This will reduce passenger legroom and restrict adjustability of the passenger seat. Also, the department shall not be responsible in any way for repairing/patching holes made for the installation of the radio control unit and microphone.

4. Sport utility vehicles with blue dome lights cannot enter the Alapai headquarters parking structure and other areas with a height clearance of 6'6" or less without possibly damaging the dome light and/or the vehicle. Officers should take precautions to avoid damages.

5. 2022 Ford Explorers will require a 4" by 6" area of the underside of the front bumper to be cut away for proper siren sound projection. The department shall not be responsible in any way for repairing this modification.

3-16-2022

APPROVED VEHICLES - 2021 MODELS

PROHIBITIONS NOTED IN POLICY 4.14, POLICE SUBSIDIZED VEHICLES, TAKE PRECEDENCE OVER ANY STANDARD OR OPTIONAL FEATURE FOR A VEHICLE ON THIS LIST. MODEL VARIATIONS OR SPECIAL PACKAGES ADDED TO AN APPROVED VEHICLE MAY RESULT IN THAT VEHICLE BEING DISAPPROVED FOR SUBSIDIZED USE.

2021 MODELS

WHEELBASE  
(inches)

CHRYSLER

\*300: 300, 300C, 300S, Limited, Touring,  
and Touring L 120.2  
(Factory spoiler approved)  
(Power backlight sunshade not approved)

DODGE

\*Charger: GT, R/T, R/T Daytona, and SXT 120.2  
(Factory spoilers approved)  
(6.2 and 6.4 engines not approved)

\*Durango: GT, R/T, SXT, and SXT Plus 119.3  
(Factory spoiler approved)

FORD MOTOR

FORD

\*Explorer: Explorer, Limited, Platinum,  
Police Interceptor, ST, and XLT 119.1  
(Factory spoiler approved)  
(Modification required, see NOTES)

HONDA

\*Passport: Sport 111.0  
(Factory spoiler approved)

\*Pilot: EX and LX 111.0  
(Factory spoiler approved)

3-31-2021

2021 MODELS

WHEELBASE  
(inches)

6-9-2021

NISSAN

- \*Altima: S, SR, and SV 111.2  
(Factory spoiler approved)  
(VC-Turbo not approved)
- \*Maxima: SV 109.3  
(Factory spoiler approved)  
(Rear window power sunshade not approved)

TOYOTA

- \*Camry: L, LE, SE, SE Nightshade Edition, XLE 4 cylinder, XSE 4 cylinder, and TRD 111.3  
(Factory spoilers approved)  
(XLE and XSE 6 cylinders not approved)
- \*4Runner: SR5, SR5 Premium, Trail Special Edition, TRD Off-Road, TRD Off-Road Premium, and Venture Special Edition 109.8  
(Factory spoiler approved)  
(Roof-top basket not approved and must be removed)
- \*Highlander: L, Hybrid LE, and LE 112.2  
(Factory spoiler approved)  
(Roof-rack rails not approved)

6-9-2021

NOTES - FOR 2021 MODELS:

4. Approved vehicles with antilocking brake systems were found acceptable for police work. Officers are cautioned that proper operation of these brake systems can be affected by police radio transmission.
2. Officers shall be responsible for relocating any object (e.g., stereo amplifier or compact disc player) determined by the Telecommunications Systems Section to interfere with the installation of the radio.

3. Radio control units in vehicles marked with an asterisk (\*) shall be mounted on the lower, passenger-side panel of the center console. This will reduce passenger legroom and restrict adjustability of the passenger seat. Also, the department shall not be responsible in any way for repairing/patching holes made for the installation of the radio control unit and microphone.
4. Sport utility vehicles with blue dome lights cannot enter the Alapai headquarters parking structure and other areas with a height clearance of 6'6" or less without possibly damaging the dome light and/or the vehicle. Officers should take precautions to avoid damages.
5. 2021 Ford Explorers will require a 4" by 6" area of the underside of the front bumper to be cut away for proper siren sound projection. The department shall not be responsible in any way for repairing this modification.

1-22-2021

APPROVED VEHICLES - 2020 MODELS

PROHIBITIONS NOTED IN POLICY 4.14, POLICE SUBSIDIZED VEHICLES, TAKE PRECEDENCE OVER ANY STANDARD OR OPTIONAL FEATURE FOR A VEHICLE ON THIS LIST. MODEL VARIATIONS OR SPECIAL PACKAGES ADDED TO AN APPROVED VEHICLE MAY RESULT IN THAT VEHICLE BEING DISAPPROVED FOR SUBSIDIZED USE.

2020 MODELS

WHEELBASE  
(inches)

CHRYSLER

1-4-2021 [ \*300: 300, 300C, 300S, Limited, Touring,  
and Touring L 120.2  
(Factory spoiler approved)  
(Power backlight sunshade not approved)

DODGE

\*Charger: GT, R/T, R/T Daytona, and SXT 120.2  
(Factory spoilers approved)  
(6.2 and 6.4 engines not approved)

\*Durango: GT, R/T, SXT, and SXT Plus 119.3  
(Factory spoiler approved)

FORD MOTOR

FORD

\*Explorer: Explorer, Limited, Police Interceptor  
Utility, ST, and XLT 119.1  
(Factory spoiler approved)  
(Modification required, see NOTES)

HONDA

\*Passport: Sport 111.0  
(Factory spoiler approved)

2020 MODELS

WHEELBASE  
(inches)

NISSAN

*Altima: 2.5S and 2.5SR (Factory spoiler approved) (SR VC-Turbo not approved)	109.3
*Maxima: S and SV (Factory spoiler approved) (Rear window power sunshade not approved)	109.3

TOYOTA

*Camry: L, LE, SE, SE Nightshade Edition, XLE 4 cylinder, XSE 4 cylinder, and TRD (Factory spoilers approved) (XLE and XSE 6 cylinders not approved)	111.2
*4Runner: SR5, SR5 Premium, TRD Off-Road, and TRD Off-Road Premium (Factory spoiler approved)	109.8
*Highlander: LE and LE Plus (Factory spoiler approved) (Roof-rack rails not approved)	109.8

NOTES - FOR 2020 MODELS:

1. Approved vehicles with antilocking brake systems were found acceptable for police work. Officers are cautioned that proper operation of these brake systems can be affected by police radio transmission.
2. Officers shall be responsible for relocating any object (e.g., stereo amplifier or compact disc player) determined by the Telecommunications Systems Section to interfere with the installation of the radio.

3. Radio control units in vehicles marked with an asterisk (\*) shall be mounted on the lower, passenger-side panel of the center console. This will reduce passenger legroom and restrict adjustability of the passenger seat. Also, the department shall not be responsible in any way for repairing/patching holes made for the installation of the radio control unit and microphone.
4. Sport utility vehicles with blue dome lights cannot enter the Alapai headquarters parking structure and other areas with a height clearance of 6'6" or less without possibly damaging the dome light and/or the vehicle. Officers should take precautions to avoid damages.
5. 2020 Ford Explorers will require a 4" by 6" area of the underside of the front bumper to be cut away for proper siren sound projection. The department shall not be responsible in any way for repairing this modification.

9-1-2020



APPROVED VEHICLES - 2019 MODELS

PROHIBITIONS NOTED IN POLICY 4.14, POLICE SUBSIDIZED VEHICLES, TAKE PRECEDENCE OVER ANY STANDARD OR OPTIONAL FEATURE FOR A VEHICLE ON THIS LIST. MODEL VARIATIONS OR SPECIAL PACKAGES ADDED TO AN APPROVED VEHICLE MAY RESULT IN THAT VEHICLE BEING DISAPPROVED FOR SUBSIDIZED USE.

2019 MODELS WHEELBASE  
(inches)

CHRYSLER

\*300: 300, 300S, Limited, and Touring 120.2  
(Factory spoiler approved)  
(Power backlight sunshade not approved)

DODGE

\*Charger: Charger Pursuit, GT, R/T, 120.2  
R/T Daytona, and SXT  
(Factory spoiler approved)  
(6.2 and 6.4 engine not approved)

\*Durango: SXT and SXT Plus 119.3  
(Factory spoiler approved)

FORD MOTOR

FORD

\*Explorer: Explorer, Limited, Police Interceptor, 112.8  
Sport, and XLT  
(Factory spoiler approved)

HONDA

[ \*Passport: Sport 111.0  
(Factory spoiler approved)

\*Pilot: LX and EX 109.2  
(Factory spoiler approved)

10-17-2019

2019 MODELS

WHEELBASE  
(inches)

NISSAN

*Altima Sedan: 2.5 and 2.5S (Factory spoiler approved)	109.3
*Maxima: S, SR, and SV (Factory spoiler approved) (Rear window power sunshade not approved)	109.3
*Pathfinder: S, SL, and SV (Factory spoiler approved)	114.2

TOYOTA

*Camry: L, LE, SE, XLE 4-cylinder, and XSE 4-cylinder (Factory spoilers approved) (XLE and XSE 6 cylinders not approved)	111.2
*4Runner: SR5, SR5 Premium, TRD Off-Road, and TRD Off-Road Premium (Factory spoiler approved)	109.8
*Highlander: LE and LE Plus (Factory spoiler approved) (Roof-rack rails not approved)	109.8

NOTES - FOR 2019 MODELS:

5. Approved vehicles with antilocking brake systems were found acceptable for police work. Officers are cautioned that proper operation of these brake systems can be affected by police radio transmission.
2. Officers shall be responsible for relocating any object (e.g., stereo amplifier or compact disc player) determined by the Telecommunications Systems Section to interfere with the installation of the radio.

10-17-2019

3. Radio control units in vehicles marked with an asterisk (\*) shall be mounted on the lower, passenger-side panel of the center console. This will reduce passenger legroom and restrict adjustability of the passenger seat. Also, the department shall not be responsible in any way for repairing/patching holes made for the installation of the radio control unit and microphone.
4. Sport utility vehicles with blue dome lights cannot enter the Alapai headquarters parking structure and other areas with a height clearance of 6'6" or less without possibly damaging the dome light and/or the vehicle. Officers should take precautions to avoid damages.

APPROVED VEHICLES - 2018 MODELS

PROHIBITIONS NOTED IN POLICY 4.14, POLICE SUBSIDIZED VEHICLES, TAKE PRECEDENCE OVER ANY STANDARD OR OPTIONAL FEATURE FOR A VEHICLE ON THIS LIST. MODEL VARIATIONS OR SPECIAL PACKAGES ADDED TO AN APPROVED VEHICLE MAY RESULT IN THAT VEHICLE BEING DISAPPROVED FOR SUBSIDIZED USE.

2018 MODELS

WHEELBASE  
(inches)

CHRYSLER

\*300: 300, Limited, 300C, and 300S 120.2  
(Factory spoiler approved)  
(Power backlight sunshade not approved)

DODGE

\*Charger: SE, SXT, R/T, and R/T Daytona 120.2  
(Factory spoiler approved)  
(6.4 engine not approved)

\*Durango: SXT and GT 119.3  
(Factory spoiler approved)  
(RT and Citadel not approved)  
(8-cylinder engines not approved)

FORD MOTOR

FORD

\*Explorer: Explorer, XLT, Limited, Sport, and 112.8  
Police Interceptor Utility  
(Factory spoiler approved)

9-17-2018

2018 MODELS

WHEELBASE  
(inches)

GENERAL MOTORS

GMC

\*Acadia: SL, SLE-1, SLE-2, SLT-1, SLT-2,  
and Denali 112.5  
(Factory spoiler approved)

NISSAN

\*Altima: 2.5S, 2.5SL, 2.5SR, 2.5SR SpEd,  
and 2.5SV 109.3  
(Factory spoiler approved)  
(3.5 engine not approved)

\*Nissan Maxima: S, SV, and SR 109.3  
(Factory spoiler approved)  
(Rear window power sunshade not approved)

\*Nissan Pathfinder: S, SV, and SL 114.2  
(Factory spoiler approved)

TOYOTA

\*Camry: LE, XLE 4 cylinder, SE, and  
XSE 4 cylinder 111.2  
(Factory spoiler approved)  
(XLE and XSE 6 cylinder not approved)

\*4Runner: SR5, SR5 Premium, TRD Off-Road  
TRD Off-Road Premium, and TRD Pro 109.8  
(Factory spoiler approved)

\*Toyota Highlander: LE and LE Plus 109.8  
(Factory spoiler approved)

4-24-2018

NOTES - FOR 2018 MODELS:

6. Approved vehicles with antilocking brake systems were found acceptable for police work. Officers are cautioned that proper operation of these brake systems can be affected by police radio transmission.
2. Officers shall be responsible for relocating any object (e.g., stereo amplifier or compact disc player) determined by the Telecommunications Systems Section to interfere with the installation of the radio.
3. Radio control units in vehicles marked with an asterisk (\*) shall be mounted on the lower, passenger-side panel of the center console. This will reduce passenger legroom and restrict adjustability of the passenger seat. Also, the department shall not be responsible in any way for repairing/patching holes made for the installation of the radio control unit and microphone.
4. Sport utility vehicles with blue dome lights cannot enter the Alapai headquarters parking structure and other areas with a height clearance of 6'6" or less without possibly damaging the dome light and/or the vehicle. Officers should take precautions to avoid damages.

APPROVED VEHICLES - 2017 MODELS

PROHIBITIONS NOTED IN POLICY 4.14, POLICE SUBSIDIZED VEHICLES, TAKE PRECEDENCE OVER ANY STANDARD OR OPTIONAL FEATURE FOR A VEHICLE ON THIS LIST. MODEL VARIATIONS OR SPECIAL PACKAGES ADDED TO AN APPROVED VEHICLE MAY RESULT IN THAT VEHICLE BEING DISAPPROVED FOR SUBSIDIZED USE.

2017 MODELS

WHEELBASE  
(inches)

CHRYSLER

\*300: 300, Limited, and 300S 120.2  
(Factory spoiler approved)  
(Power backlight sunshade model not approved)

DODGE

\*Charger: SE, SXT, R/T, Charger Pursuit, and 120.2  
Daytona  
(Factory spoilers approved)  
(6.4 engine not approved)

\*Durango: SXT and GT 119.3  
(Factory spoiler approved)  
(8 cylinder not approved)

FORD MOTOR

FORD

\*Explorer: Explorer, XLT, Limited, Sport, and 112.8  
Police Interceptor  
(Factory spoiler approved)

\*Police Interceptor: Sedan 112.9

\*Taurus: SE, SEL, Limited, and SHO 112.9  
(Factory spoiler approved)

2-22-2018

2017 MODELS

WHEELBASE  
(inches)

GENERAL MOTORS

GMC

\*Acadia: SL, SLE-1, SLE-2, SLT-1, SLT-2,  
and Denali 112.5  
(Factory spoiler approved)

HONDA

\*Pilot: LX and EX 109.2  
(Factory spoiler approved)

NISSAN

\*Altima: 2.5, 2.5S, 2.5SL, 2.5SR, 2.5SV,  
and 3.5SR 109.3  
(Factory spoiler approved)

\*Nissan Maxima: S, SV, SR, and SR-ME 109.3  
(Factory spoiler approved)  
(Rear window power sunshade not approved)

\*Rogue: S, SV, and SL 106.5  
(Factory spoiler approved)

TOYOTA

\*Avalon: XLE 111.0

\*Camry: LE, XLE 4 cylinder, SE, and  
XSE 4 and 6 cylinders 109.3  
(Factory spoiler approved)  
(XLE 6 cylinder not approved)

\*4Runner: SR5, SR5 Premium, TRD Off-Road  
TRD Off-Road Premium, and TRD Pro 109.8  
(Factory spoiler approved)

8-10-2017



2017 MODELS

WHEELBASE  
(inches)

TOYOTA

\*Highlander: LE and LE Plus 109.8  
(Factory spoiler approved)

NOTES - FOR 2017 MODELS:

7. Approved vehicles with antilocking brake systems were found acceptable for police work. Officers are cautioned that proper operation of these brake systems can be affected by police radio transmission.
2. Officers shall be responsible for relocating any object (e.g., stereo amplifier or compact disc player) determined by the Telecommunications Systems Section to interfere with the installation of the radio.
3. Radio control units in vehicles marked with an asterisk (\*) shall be mounted on the lower, passenger-side panel of the center console. This will reduce passenger legroom and restrict adjustability of the passenger seat. Also, the department shall not be responsible in any way for repairing/patching holes made for the installation of the radio control unit and microphone.
4. Sport utility vehicles with blue dome lights cannot enter the Alapai headquarters parking structure and other areas with a height clearance of 6'6" or less without possibly damaging the dome light and/or the vehicle. Officers should take precautions to avoid damages.

APPROVED VEHICLES - 2016 MODELS

PROHIBITIONS NOTED IN POLICY 4.14, POLICE SUBSIDIZED VEHICLES, TAKE PRECEDENCE OVER ANY STANDARD OR OPTIONAL FEATURE FOR A VEHICLE ON THIS LIST. MODEL VARIATIONS OR SPECIAL PACKAGES ADDED TO AN APPROVED VEHICLE MAY RESULT IN THAT VEHICLE BEING DISAPPROVED FOR SUBSIDIZED USE.

2016 MODELS

WHEELBASE  
(inches)

CHRYSLER

\*300: 300, Limited, and 300S 120.2  
(Factory spoiler approved)  
(Power backlight sunshade model not approved)

DODGE

\*Charger: SE, SXT, R/T Road & Track, and 120.2  
Charger Pursuit  
(Factory spoiler approved)  
(6.4 engine not approved)

FORD MOTOR

FORD

\*Explorer: Explorer, XLT, Limited, Sport, and 112.6  
Police Interceptor Utility  
(Factory spoiler approved)

\*Police Interceptor: Sedan 112.9

\*Taurus: SE, SEL, Limited, and SHO 112.9  
(Factory spoiler approved)

HONDA

\*Pilot: LX and EX 109.2

3-20-2017

2016 MODELS

WHEELBASE  
(inches)

HYUNDAI

\*Genesis: 3.8 118.50  
(Factory integrated spoiler approved)  
(Power rear windshield shade not approved)

NISSAN

\*Altima: S, SR, SV, and SL 109.3  
(Factory spoiler approved)

\*Nissan Maxima: S, SV, and SR 109.3  
(Factory spoiler approved)  
(Rear window power sunshade not approved)

\*Rogue: S, SV, and SL 106.5  
(Factory spoiler approved)

TOYOTA

\*4Runner: SR5, Trail, and TRD PRO 109.8  
(Factory spoiler approved)  
(Premium versions not approved)

[ \*Avalon: XLE 111.0  
(Factory spoiler approved)

\*Camry: LE, XLE 4 cylinder, SE, and XSE 109.3  
(Factory spoiler approved)

\*Camry Hybrid: LE, SE, and XLE 109.3  
(Factory spoiler approved)

\*Highlander: LE and LE Plus 109.8  
(Factory spoiler approved)  
(Roof rack not approved)

10-31-2016

1. Approved vehicles with antilocking brake systems were found acceptable for police work. Officers are cautioned that proper operation of these brake systems can be affected by police radio transmission.
2. Officers shall be responsible for relocating any object (e.g., stereo amplifier or compact disc player) determined by the Telecommunications Systems Section to interfere with the installation of the radio.
3. Radio control units in vehicles marked with an asterisk (\*) shall be mounted on the lower, passenger-side panel of the center console. This will reduce passenger legroom and restrict adjustability of the passenger seat. Also, the department shall not be responsible in any way for repairing/patching holes made for the installation of the radio control unit and microphone.
4. Sport utility vehicles with blue dome lights cannot enter the Alapai headquarters parking structure and other areas with a height clearance of 6'6" or less without possibly damaging the dome light and/or the vehicle. Officers should take precautions to avoid damages.

APPROVED VEHICLES - 2015 MODELS

PROHIBITIONS NOTED IN POLICY 4.14, POLICE SUBSIDIZED VEHICLES, TAKE PRECEDENCE OVER ANY STANDARD OR OPTIONAL FEATURE FOR A VEHICLE ON THIS LIST. MODEL VARIATIONS OR SPECIAL PACKAGES ADDED TO AN APPROVED VEHICLE MAY RESULT IN THAT VEHICLE BEING DISAPPROVED FOR SUBSIDIZED USE.

2015 MODELS WHEELBASE  
(inches)

CHRYSLER

\*300: 300, Limited, and 300S 120.2  
(Factory spoiler approved)  
(AWD and power backlight sunshade models not approved)

DODGE

12-23-2015

\*Charger: SE, SXT, R/T, R/T Road and Track and 120.2  
Pursuit Package  
(Factory spoiler approved)  
(Hood scoop and racing stripes not approved)

FORD MOTOR

FORD

\*Explorer: Explorer, XLT, Limited, Sport, and 112.6  
Police Interceptor  
(Factory spoiler approved)  
(Skid plate not approved)

\*Taurus: SE, SEL, Limited, and SHO 112.9  
(Factory spoiler approved)

HONDA

\*Pilot: LX and EX 109.2

2015 MODELS

WHEELBASE  
(inches)

NISSAN

*Altima: 2.5, S, SV, and SL (Factory spoiler approved)	109.3
*Pathfinder: S, SV, and SL (Factory spoiler approved)	114.2
*Rogue: S, SV, and SL (Factory spoiler approved)	106.5
*Rogue Select: S (Factory spoiler approved)	105.9

TOYOTA

*Avalon: XLE base (Factory spoiler approved)	111.0
*Camry: LE, SE, XSE, and XLE (Factory spoiler approved)	109.3
*Camry Hybrid: LE, SE, and XLE (Factory spoiler approved)	109.3
*4Runner: SR5 and Trail (Factory spoiler approved) (SR5 Premium and Trail Premium not approved)	109.8
*Highlander: LE and LE Plus (Factory spoiler approved) (Roof rack not approved)	109.8

NOTES - FOR 2015 MODELS:

1. Approved vehicles with antilocking brake systems were found acceptable for police work. Officers are cautioned that proper operation of these brake systems can be affected by police radio transmission.

12-23-2015

2. Officers shall be responsible for relocating any object (e.g., stereo amplifier or compact disc player) determined by the Telecommunications Systems Section to interfere with the installation of the radio.
3. Radio control units in vehicles marked with an asterisk (\*) shall be mounted on the lower, passenger-side panel of the center console. This will reduce passenger legroom and restrict adjustability of the passenger seat. Also, the department shall not be responsible in any way for repairing/patching holes made for the installation of the radio control unit and microphone.
4. Sport utility vehicles with blue dome lights cannot enter the Alapai headquarters parking structure and other areas with a height clearance of 6'6" or less without possibly damaging the dome light and/or the vehicle. Officers should take precautions to avoid damages.

APPROVED VEHICLES - 2014 MODELS

PROHIBITIONS NOTED IN POLICY 4.14, POLICE SUBSIDIZED VEHICLES, TAKE PRECEDENCE OVER ANY STANDARD OR OPTIONAL FEATURE FOR A VEHICLE ON THIS LIST. MODEL VARIATIONS OR SPECIAL PACKAGES ADDED TO AN APPROVED VEHICLE MAY RESULT IN THAT VEHICLE BEING DISAPPROVED FOR SUBSIDIZED USE.

2014 MODELS

WHEELBASE  
(inches)

CHRYSLER

\*300: 300, 300C, 300S, Limited,  
Luxury Series, and Varvatos 120.2  
(Factory spoiler approved)

DODGE

\*Charger: SE, SXT, SXT Plus, R/T, R/T Plus,  
R/T Road and Track, R/T Max, and  
Police Package 120.2  
(Factory spoiler approved)

FORD MOTOR

FORD

\*Explorer: Explorer, XLT, Limited, Sport, and  
Police Interceptor 112.6  
(Factory spoiler approved)  
(Skid plate not approved)

\*Taurus: SE, SEL, Limited, SHO, and  
Police Interceptor 112.9  
(Factory spoiler approved)

HONDA

\*Pilot: LX and EX 109.2



3-28-2019

NISSAN

*Altima Sedan: 2.5, 2.5S, and 3.5S (Factory spoiler approved)	109.3
*Pathfinder: S (Factory spoiler approved) (Roof rack not approved)	114.2

TOYOTA

*Camry: SE (Factory spoiler approved)	109.3
*4Runner: SR5 (Factory spoiler approved) (Premium package not approved)	109.8
*Highlander: LE and LE Plus (Factory spoiler approved) (Roof rack not approved)	109.8
*Venza: LE and XLE (Factory spoiler approved) (Roof rack not approved)	109.3

NOTES - FOR 2014 MODELS:

1. Approved vehicles with antilocking brake systems were found acceptable for police work. Officers are cautioned that proper operation of these brake systems can be affected by police radio transmission.
2. Officers shall be responsible for relocating any object (e.g., stereo amplifier or compact disc player) determined by the Telecommunications Systems Section to interfere with the installation of the radio.

3. Radio control units in vehicles marked with an asterisk (\*) shall be mounted on the lower, passenger-side panel of the center console. This will reduce passenger legroom and restrict adjustability of the passenger seat. Also, the department shall not be responsible in any way for repairing/patching holes made for the installation of the radio control unit and microphone.
4. Sport utility vehicles with blue dome lights cannot enter the Alapai headquarters parking structure and other areas with a height clearance of 6'6" or less without possibly damaging the dome light and/or the vehicle. Officers should take precautions to avoid damages.

APPROVED VEHICLES - 2013 MODELS

PROHIBITIONS NOTED IN POLICY, POLICE SUBSIDIZED VEHICLES, TAKE PRECEDENCE OVER ANY STANDARD OR OPTIONAL FEATURE FOR A VEHICLE ON THIS LIST. MODEL VARIATIONS OR SPECIAL PACKAGES ADDED TO AN APPROVED VEHICLE MAY RESULT IN THAT VEHICLE BEING DISAPPROVED FOR SUBSIDIZED USE.

<u>2013 MODELS</u>	<u>WHEELBASE</u> (inches)
<u>CHRYSLER</u>	
*300: 300, 300C, 300S, Limited, and Luxury Series (Factory spoiler approved)	120.2
<u>DODGE</u>	
*Charger: SE, SXT, SXT Plus, R/T, R/T Plus R/T Road and Track, and R/T Max, and Police Package (Factory spoiler approved)	120.2
<u>FORD MOTOR</u>	
<u>FORD</u>	
*Explorer: Explorer, XLT, Limited, and Sport (Factory spoiler approved) (Skid plate not approved)	112.6
*Police Interceptor: Sedan	112.9
*Police Interceptor: Explorer (Factory spoiler approved) (Skid plate not approved)	112.6
*Taurus: SE, SEL, Limited, and SHO (Factory spoiler approved)	112.9
<u>HONDA</u>	
*Pilot: LX and EX	109.2

2013 MODELS

WHEELBASE  
(inches)

KIA

\*Sorento: LX V6, EX V6, and SX  
(Factory spoiler approved) 106.3

NISSAN

\*Altima Sedan: 3.5S 109.3  
(Factory spoiler approved)  
(Coupe not approved)

\*Pathfinder: S 114.2  
(Factory spoiler approved)  
(Roof rack rails not approved)

TOYOTA

\*Camry: SE 109.3  
(Factory spoiler approved)

\*4Runner: SR5 109.8  
(Factory spoiler approved)  
(Premium packages not approved)

\*Highlander: Basic 109.8  
(Factory spoiler approved)

NOTES - FOR 2013 MODELS:

1. Approved vehicles with antilocking brake systems were found acceptable for police work. Officers are cautioned that proper operation of these brake systems can be affected by police radio transmission.
2. Officers shall be responsible for relocating any object (e.g., stereo amplifier or compact disc player) determined by the Telecommunications Systems Section to interfere with the installation of the radio.

3. Radio control units in vehicles marked with an asterisk (\*) shall be mounted on the lower, passenger-side panel of the center console. This will reduce passenger legroom and restrict adjustability of the passenger seat. Also, the department shall not be responsible in any way for repairing/patching holes made for the installation of the radio control unit and microphone.
  
4. Sport utility vehicles with blue dome lights cannot enter the Alapai headquarters parking structure and other areas with a height clearance of 6'6" or less without possibly damaging the dome light and/or the vehicle. Officers should take precautions to avoid damages.

APPROVED VEHICLES - 2012 MODELS

PROHIBITIONS NOTED IN POLICY, POLICE SUBSIDIZED VEHICLES, TAKE PRECEDENCE OVER ANY STANDARD OR OPTIONAL FEATURE FOR A VEHICLE ON THIS LIST. MODEL VARIATIONS OR SPECIAL PACKAGES ADDED TO AN APPROVED VEHICLE MAY RESULT IN THAT VEHICLE BEING DISAPPROVED FOR SUBSIDIZED USE.

2012 MODELS

WHEELBASE  
(inches)

CHRYSLER

\*300: 300, 300C, 300S, Limited, and  
Luxury Series 120.2  
(Factory spoiler approved)  
(SRT8 and 6.4 engine not approved)

DODGE

\*Charger: SE, SXT, Rallye, and R/T 120.2  
(Factory spoiler approved)

FORD MOTOR

FORD

\*Fusion: Hybrid 107.4  
(Factory spoiler approved)

\*Taurus: SE, SEL, Limited, and SHO 112.9  
(Factory spoiler approved)

HONDA

\*Pilot: LX and EX 109.2

INFINITI

\*G25: G25, G25x, and Journey 112.2  
(Factory spoiler approved)

KIA

\*Sorento: LX V6, EX V6, and SX  
(Factory spoiler approved)

106.3

2012 MODELS

WHEELBASE  
(inches)

NISSAN

\*Altima Sedan: 3.5SR 109.3  
(Factory spoiler approved)  
(Coupe not approved)

\*Pathfinder: S, SV, and Silver Edition 112.9

TOYOTA

\*Camry: SE 109.3  
(Factory spoiler approved)

\*Camry Hybrid: LE, and XLE 109.3  
(Factory spoiler approved)

\*4Runner: SR5 109.8  
(Factory spoiler approved)

\*Highlander: Base 109.8  
(Factory spoiler approved)

\*Highlander Hybrid: Base 109.8  
(Factory spoiler approved)

\*Venza: LE and XLE 109.3  
(Factory spoiler approved)

NOTES - FOR 2012 MODELS:

1. Approved vehicles with antilocking brake systems were found acceptable for police work. Officers are cautioned that proper operation of these brake systems can be affected by police radio transmission.
2. Officers shall be responsible for relocating any object (e.g., stereo amplifier or compact disc player) determined by the Telecommunications Systems Section to interfere with the installation of the radio.



3. Radio control units in vehicles marked with an asterisk (\*) shall be mounted on the lower, passenger-side panel of the center console. This will reduce passenger legroom and restrict adjustability of the passenger seat. Also, the department shall not be responsible in any way for repairing/patching holes made for the installation of the radio control unit and microphone.
  
4. Sport utility vehicles with blue dome lights cannot enter the Alapai headquarters parking structure and other areas with a height clearance of 6'6" or less without possibly damaging the dome light and/or the vehicle. Officers should take precautions to avoid damages.

APPROVED VEHICLES - 2011 MODELS

PROHIBITIONS NOTED IN POLICY, POLICE SUBSIDIZED VEHICLES, TAKE PRECEDENCE OVER ANY STANDARD OR OPTIONAL FEATURE FOR A VEHICLE ON THIS LIST. MODEL VARIATIONS OR SPECIAL PACKAGES ADDED TO AN APPROVED VEHICLE MAY RESULT IN THAT VEHICLE BEING DISAPPROVED FOR SUBSIDIZED USE.

2011 MODELS

WHEELBASE  
(inches)

CHRYSLER

\*300: 300, Limited, Touring, 300C, and 300S 120.2  
(Factory spoiler approved)

DODGE

\*Charger: SE, Rallye, Rallye Plus 120.1  
R/T, R/T Plus, R/T Road and Track, and  
R/T Max  
(Factory spoiler approved)  
(All-wheel drive feature/models not approved)

FORD MOTOR

FORD

\*Crown Victoria: Base, Extended Base, LX, Sport,  
and Interceptor 114.6  
(Factory spoiler approved)

\*Edge: SE, SEL, Limited, and Sport 111.2  
(Factory spoiler approved)  
(Roof rack and rails not approved)

\*Explorer: Explorer, XLT, and Limited 112.6  
(Factory spoiler approved)

\*Fusion: Hybrid 107.4  
(Factory spoiler approved)

2011 MODELS

WHEELBASE  
(inches)

FORD MOTOR

FORD

\*Taurus: SE, SEL, Limited, and SHO  
(Factory spoiler approved) 112.9

MERCURY

Grand Marquis: LS and GS 114.6

GENERAL MOTORS

BUICK

\*Enclave: CX, CXL, and C2XL  
(Factory spoiler approved) 113.9

CHEVROLET

\*Equinox: 1LT, 2LT, and LTZ  
(Factory spoiler approved) 112.5

HONDA

\*Pilot: LX and EX 109.2

INFINITI

\*G25: G25, Journey, and G25x  
(Factory spoiler approved) 112.2

NISSAN

\*Altima Sedan: 3.5SR 109.3  
(Factory spoiler approved)  
(Coupe not approved)

\*Murano: S 111.2  
(Factory spoiler approved)

2011 MODELS

WHEELBASE  
(inches)

NISSAN

\*Pathfinder: S, SV, and Silver Edition 112.9

TOYOTA

\*Camry: LE, SE, and Hybrid  
(Factory spoiler approved) 109.3

\*4Runner: SR5  
(Factory spoiler approved) 109.8

\*Highlander: Base  
(Factory spoiler approved) 109.8

\*Highlander Hybrid: Base  
(Factory spoiler approved) 109.8

NOTES - FOR 2011 MODELS:

1. Approved vehicles with antilocking brake systems were found acceptable for police work. Officers are cautioned that proper operation of these brake systems can be affected by police radio transmission.
2. Officers shall be responsible for relocating any object (e.g., stereo amplifier or compact disc player) determined by the Telecommunications Systems Section to interfere with the installation of the radio.
3. Radio control units in vehicles marked with an asterisk (\*) shall be mounted on the lower, passenger-side panel of the center console. This will reduce passenger legroom and restrict adjustability of the passenger seat. Also, the department shall not be responsible in any way for repairing/patching holes made for the installation of the radio control unit and microphone.

4. Sport utility vehicles with blue dome lights cannot enter the Alapai headquarters parking structure and other areas with a height clearance of 6'6" or less without possibly damaging the dome light and/or the vehicle. Officers should take precautions to avoid damages.